





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	4008-3	FRONT SIDE	1
2	4008-1	TALL SIDE	1
3	4008-2	SHORT SIDE	1
4	4008-4	SHELF/BOTTOM	2
5	4008-5	BACK SIDE	1
6	4008-6	ROOF	1
7	4008-SA1	DOOR ASSY	1



SECTION A-A




DOOR HIDDEN FOR CLARITY







PROJECT #	PR-#	REV.	CHANGE DESCRIPTION	DATE	BY
		DRAWING NAME: <b>LITTLE LIBRARY</b>			
THIRD ANGLE PROJECTION	MODELED BY: <b>DJM</b>	DRAWN BY: <b>DJM</b>	CREATION DATE: 5/11/2015	SCALE: 1:12	PDM I.D.:
	CONTACT:	KEYNOUN: ASSY	DWG SZ: B	DRAWING NO:	SHEET: <b>1 of 9</b>
					<b>4008-FA1</b>


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	4008-9	RAIL	2
2	4008-10	STILE	2
3	4008-8	DOOR	1



NOTE: DOOR DIMENSIONS DO NOT TAKE INTO ACCOUNT HINGES, ADJUST DIMENSIONS ACCORDINGLY



RAW MAT'L #	U/M	ID	MATERIAL DESCRIPTION	MAT'L REQ'D (3PL DEC.)	CUTTING COMMENTS
			DRAWING INTERPRETED PER ASME Y14.5-2009, AWS A2.4:2007 <b>UNLESS OTHERWISE SPECIFIED</b> DIMENSIONS ARE IN INCHES DIMENSIONAL LIMITS APPLY BEFORE APPLYING FINISH [ ] ASTM MATERIAL STANDARD TOLERANCES .00 ± .03 .000 ± .010 ANGLE ± .5° WELD SIZE ± .06 REMOVE ALL BURRS & SHARP EDGES .002-.040 RADIUS OR CHAMFER		PROJECT # PR-# QTY: DRAWING NAME: <b>DOOR ASSY</b> FINISH: <b>NO FINISH</b>
					MODELED BY: <b>DJM</b> DRAWN BY: <b>DJM</b> CREATION DATE: 5/11/2015 SCALE: 1:6 PDM I.D.: SHEET: <b>2 of 9</b> CONTACT: KEYNOUN: <b>ASSY</b> DWG SZ: <b>B</b> DRAWING NO: <b>4008-SA1</b>



<b>N16534</b>	<b>SI</b>	<b>SP</b>	<b>3/4X48X96 PLYWOOD *</b>	<b>335.000</b>	<b>No Comment</b>
RAW MAT'L #	U/M	ID	MATERIAL DESCRIPTION	MAT'L REQ'D (3PL DEC.)	CUTTING COMMENTS
					PROJECT #
					PR-#
					QTY:
					DRAWING NAME:
					<b>PLATE-0.75-10.00-033.50-TALL SIDE</b>
					MODELED BY:
					<b>DJM</b>
					DRAWN BY:
					<b>DJM</b>
					CREATION DATE:
					5/11/2015
					SCALE:
					1:4
					PDM I.D.:
					SHEET:
					<b>3 of 9</b>
					CONTACT:
					KEYNOUN:
					PLTE
					DWG SZ:
					B
					DRAWING NO:
					<b>4008-1</b>

DRAWING INTERPRETED PER  
ASME Y14.5-2009, AWS A2.4:2007  
**UNLESS OTHERWISE SPECIFIED**  
DIMENSIONS ARE IN INCHES  
DIMENSIONAL LIMITS APPLY  
BEFORE APPLYING FINISH


ASTM MATERIAL STANDARD

TOLERANCES  
.00 ± .03  
.000 ± .010  
ANGLE ± .5°  
WELD SIZE ± .06

THIRD ANGLE  
PROJECTION

REMOVE ALL BURRS & SHARP EDGES  
.002-.040 RADIUS OR CHAMFER

FINISH:  
**NO FINISH**



N16534	SI	SP	3/4X48X96 PLYWOOD *	245.240	No Comment
RAW MAT'L #	U/M	ID	MATERIAL DESCRIPTION	MAT'L REQ'D (3PL DEC.)	CUTTING COMMENTS
					PROJECT #
					PR-#
					QTY:
					DRAWING NAME:
					<b>PLATE-0.75-10.00-024.52-SHORT SIDE</b>
					FINISH:
					<b>NO FINISH</b>
					MODELED BY:
					DJM
					DRAWN BY:
					DJM
					CREATION DATE:
					5/11/2015
					SCALE:
					1:4
					PDM I.D.:
					SHEET:
					<b>4 of 9</b>
					CONTACT:
					KEYNOUN:
					PLTE
					DWG SZ:
					B
					DRAWING NO:
					<b>4008-2</b>


DRAWING INTERPRETED PER  
ASME Y14.5-2009, AWS A2.4:2007  
**UNLESS OTHERWISE SPECIFIED**  
DIMENSIONS ARE IN INCHES  
DIMENSIONAL LIMITS APPLY  
BEFORE APPLYING FINISH

ASTM MATERIAL STANDARD


TOLERANCES  
.00 ± .03  
.000 ± .010  
ANGLE ± .5°  
WELD SIZE ± .06

THIRD ANGLE  
PROJECTION


REMOVE ALL BURRS & SHARP EDGES  
.002-.040 RADIUS OR CHAMFER



N16534	SI	SP	3/4X48X96 PLYWOOD *	644.875	No Comment
RAW MAT'L #	U/M	ID	MATERIAL DESCRIPTION	MAT'L REQ'D (3PL DEC.)	CUTTING COMMENTS
			DRAWING INTERPRETED PER ASME Y14.5-2009, AWS A2.4:2007 <b>UNLESS OTHERWISE SPECIFIED</b> DIMENSIONS ARE IN INCHES DIMENSIONAL LIMITS APPLY BEFORE APPLYING FINISH	PROJECT #	PR-#
			ASTM MATERIAL STANDARD	FINISH:	QTY:
			TOLERANCES .00 ± .03 .000 ± .010 ANGLE ± .5° WELD SIZE ± .06	<b>NO FINISH</b>	DRAWING NAME:
			THIRD ANGLE PROJECTION		<b>PLATE-0.75-19.25-033.50-FRONT SIDE</b>
			REMOVE ALL BURRS & SHARP EDGES .002-.040 RADIUS OR CHAMFER		MODELED BY: <b>DJM</b>
					DRAWN BY: <b>DJM</b>
					CREATION DATE: 5/11/2015
					SCALE: 1:4
					PDM I.D.:
					SHEET: <b>5 of 9</b>
					CONTACT:
					KEYNOUN: <b>PLTE</b>
					DWG SZ: <b>B</b>
					DRAWING NO: <b>4008-3</b>




RAW MAT'L #	U/M	ID	MATERIAL DESCRIPTION	MAT'L REQ'D (3PL DEC.)	CUTTING COMMENTS
N16534	SI	SP	3/4X48X96 PLYWOOD *	185.000	No Comment
			DRAWING INTERPRETED PER ASME Y14.5-2009, AWS A2.4:2007 <b>UNLESS OTHERWISE SPECIFIED</b> DIMENSIONS ARE IN INCHES DIMENSIONAL LIMITS APPLY BEFORE APPLYING FINISH <input type="checkbox"/> ASTM MATERIAL STANDARD		PROJECT #  PR-#  QTY:
DRAWING NAME: <b>PLATE-0.75-10.00-018.50-SHELF/BOTTOM</b>					
			TOLERANCES .00 ± .03 .000 ± .010 ANGLE ± .5° WELD SIZE ± .06 REMOVE ALL BURRS & SHARP EDGES .002-.040 RADIUS OR CHAMFER	THIRD ANGLE PROJECTION 	FINISH:  <b>NO FINISH</b>
MODELED BY:		DRAWN BY:	CREATION DATE:	SCALE:	PDM I.D.:
DJM		DJM	5/11/2015	1:4	
CONTACT:			KEYNOUN:	DWG SZ:	DRAWING NO:
			PLTE	B	4008-4
					SHEET: <b>6 of 9</b>



N16534	SI	SP	3/4X48X96 PLYWOOD *	644.875	No Comment
RAW MAT'L #	U/M	ID	MATERIAL DESCRIPTION	MAT'L REQ'D (3PL DEC.)	CUTTING COMMENTS
			DRAWING INTERPRETED PER ASME Y14.5-2009, AWS A2.4:2007 <b>UNLESS OTHERWISE SPECIFIED</b> DIMENSIONS ARE IN INCHES DIMENSIONAL LIMITS APPLY BEFORE APPLYING FINISH	PROJECT #	PR-#
			ASTM MATERIAL STANDARD	FINISH:	QTY:
			TOLERANCES .00 ± .03 .000 ± .010 ANGLE ± .5° WELD SIZE ± .06	THIRD ANGLE PROJECTION	NO FINISH
			REMOVE ALL BURRS & SHARP EDGES .002-.040 RADIUS OR CHAMFER		



DRAWING NAME: <b>PLATE-0.75-19.25-033.50-BACK SIDE</b>					
MODELED BY:	DRAWN BY:	CREATION DATE:	SCALE:	PDM I.D.:	SHEET:
DJM	DJM	5/11/2015	1:4		<b>7 of 9</b>
CONTACT:		KEYNOUN:	DWG SZ:	DRAWING NO:	
		PLTE	B	<b>4008-5</b>	



<b>N16534</b>	<b>SI</b>	<b>SP</b>	<b>3/4X48X96 PLYWOOD *</b>	<b>358.730</b>	<b>No Comment</b>							
RAW MAT'L #	U/M	ID	MATERIAL DESCRIPTION	MAT'L REQ'D (3PL DEC.)	CUTTING COMMENTS							
					PROJECT #	PR-#	DRAWING NAME: <b>PLATE-0.75-14.50-024.74-ROOF</b>					
			DRAWING INTERPRETED PER ASME Y14.5-2009, AWS A2.4:2007 <b>UNLESS OTHERWISE SPECIFIED</b> DIMENSIONS ARE IN INCHES DIMENSIONAL LIMITS APPLY BEFORE APPLYING FINISH <input type="checkbox"/> ASTM MATERIAL STANDARD				MODELED BY:	DRAWN BY:	CREATION DATE:	SCALE:	PDM I.D.:	SHEET:
			TOLERANCES .00 ± .03 .000 ± .010 ANGLE ± .5° WELD SIZE ± .06 REMOVE ALL BURRS & SHARP EDGES .002-.040 RADIUS OR CHAMFER	THIRD ANGLE PROJECTION 	FINISH: <b>NO FINISH</b>		<b>DJM</b>	<b>DJM</b>	5/11/2015	1:4		<b>8 of 9</b>
							CONTACT:	KEYNOUN:	DWG SZ:	DRAWING NO:		<b>4008-6</b>
								PLTE	B			



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	SHEET	3/4X48X96 PLYWOOD	2
2	4008-3	FRONT SIDE	3
3	4008-5	BACK SIDE	3
4	4008-1	TALL SIDE	3
5	4008-2	SHORT SIDE	3
6	4008-4	SHELF/BOTTOM	6
7	4008-6	ROOF	3



NESTED PARTS FOR 3 LIBRARYS

RAW MAT'L #	U/M	ID	MATERIAL DESCRIPTION	MAT'L REQ'D (3PL DEC.)	CUTTING COMMENTS
			DRAWING INTERPRETED PER ASME Y14.5-2009, AWS A2.4:2007 <b>UNLESS OTHERWISE SPECIFIED</b> DIMENSIONS ARE IN INCHES DIMENSIONAL LIMITS APPLY BEFORE APPLYING FINISH [Symbol] ASTM MATERIAL STANDARD TOLERANCES .00 ± .03 .000 ± .010 ANGLE ± .5° WELD SIZE ± .06 REMOVE ALL BURRS & SHARP EDGES .002-.040 RADIUS OR CHAMFER		PROJECT # PR-# QTY: FINISH: <b>NO FINISH</b>
DRAWING NAME: <b>SHEET LAYOUT</b>					
MODELED BY:		DRAWN BY:		CREATION DATE:	SCALE:
DJM		DJM		5/11/2015	1:14
CONTACT:		KEYNOUN:	DWG SZ:	DRAWING NO:	
		ASSY	B	<b>SHEET LAYOUT</b>	
SHEET: <b>9 of 9</b>					